

FAT32 Update

Warpstock
Europe

Gregg Young
ygk@qwest.net

Utrecht


Netherlands

May 18 –19

2019

FAT32 Issues

- ➔ Cache not working
- ➔ Installer's placement of directives in Config.sys
- ➔ Chkdsk doesn't return correct error code.
- ➔ PMChkdsk hang
- ➔ Exclude drives from cache
- ➔ Compiler optimizations




Cache

- ➔ Cache was turned off in Netlabs revision 136.
- ➔ AN version is based on Netlabs revision 360 plus some later code.
- ➔ Data Segments and the Watcom compiler
- ➔ Benchmark shows
 - Hard disk no cache 750 kb/sec with cache 3000 kb/sec
 - Thumb drive no cache 65 kb/sec with cache 2000 kb/sec
- ➔ It traps on some systems under load




Installer Issues

- ⇒ On clean install IFS statement incorrectly placed at bottom of config.sys
 - Fortunately this was a typo in the wis file easily fixed
 - Telling it what line to follow is more problematic
- ⇒ Uninstalling the Netlabs version
 - On uninstall \os2 is removed from PATH and \os2\dll is removed from LIBPATH



Chkdsk Issues

- ⇒ Chkdsk doesn't fix mismatched FATs
 - However it returned 0 after the error
 - Result AN removables would report the drive mounted successfully
 - Now it returns 4 as it always should have
 - Result AN Removables returns an error
 - Unfortunately PMChkdsk ignores all this and seems to hang forever when it happens.
 - Just close PMChkdsk and Chkdsk from command line to see the error.




Other Issues

⇒ Excluding drives.

- SSDs and Ram drives actually run slower with the cache.
- -exclude:listofdriveletters
 - Doesn't work for removables


⇒ Compiler options

- Netlabs FAT32 built without optimizations
- Still experimenting with various options.




Thanks

Questions



ArcaOS Tips and Tricks



Warpstock
Europe

Gregg Young
ygk@qwest.net

Utrecht

Netherlands

May 18 – 19

2019


Must have update

➔ ACPI 3.23.10

- Fixes an inter process communication issue on fast multiprocessor machines
 - Hang on switch to full screen
 - Hang on starting a video with an audio stream playing
 - Hangs related to Firefox and Seamonkey
 - Probably others


➔ ACPI 3.23.11

- Allows ACPI to load and run on more systems.



ArcaOS Install PreBoot menu

- ➔ If you aren't using an external USB DVD drive
 - Set USB CD drives to 0
 - USB Floppies
- ➔ If you have a driver trap
 - select edit config.sys and rem it out.
 - Alt-F2/F4 and verbose boot




ArcaOS Install

⇒ Peer Networking


- Make sure you install Netbios or Netbios over TCP/IP
- It can be used with Samba if you use Netbios
 - Port conflict with Netbios over TCP/IP

⇒ USB 2 port verses controller




ArcaOS Install

- ➔ AltBoot
- ➔ Install from USB stick
- ➔ DFSee disk image (1899 mb)
- ➔ Create from Mac, Windows, Linux or OS2
- ➔ AOSBOOT.CMD
 - Mount image run to install from HD volume




Config.sys

- ➔ Remove the drivers you don't need
 - PRINT01.SYS – Parallel port
 - IBM1FLPY.ADD – Floppy drives
 - USBPRT.SYS – USB printer
 - FAT32.IFS/CACHEF32.EXE – Fat 32
- ➔ Don't remove duplicate USB base drivers
 - USBXHCD.SYS
 - USBEHCD.SYS
 - USBUHCD.SYS
 - USBOHCD.SYS



Config.sys


- ⇒ Protect only (No Dos or Win 3)
 - Network related V-drivers (and probably some others) are still install.
 - Dos.sys is still needed



Config.sys


➔ The Shell Game

- I use 4OS2 as my build shell(OS2_SHELL)
 - It has some problems with some VMREXX programs
 - ANPM install fails using it
 - ArcaMapper behaves badly with it.
 - It is not supported for Arca Noae drivers
 - It is easy to change back to CMD when I need to
 - We have the source so we can fix things
 - <http://trac.netlabs.org/4os2>



4OS2

- ⇒ SET DIRCMD=/v
- ⇒ Aliases
- ⇒ 4OS2.INI
- ⇒ 4START.CMD
 - Options2.exe



Config.sys

➔ Command line switches

- IFS=J:\OS2\BOOT\FAT32.IFS /CACHE:2048 /H /Q /AC:* /LARGEFILES /EAS /FAT /EXFAT
 - /EAS is broken in the early .10 versions
 - Cache broken since .10 beta 7 still not working
- BASEDEV=OS2AHCI.ADD /N /F
 - May speed drive access


➔ VIRTUALADDRESSLIMIT

- 1024 – 3072




MMRE and Injoy

- ➔ Very slow
- ➔ Lacks ReceiveChain
- ➔ A fix is in testing on the Injoy side
- ➔ Other MM drivers may have same problem



Config.sys

- ➔ DOS what do I change/add
 - DOS=LOW,NOUMB DOS=HIGH,UMB
 - Traps if DEVICE=H:\OS2\MDOS\VXMS.SYS /UMB is also set
 - Add VCOMPAT.SYS or V2GB.SYS
 - <http://hobbes.nmsu.edu/h-search.php?key=vcompat&pushbutton=Search>
 - <http://www.tavi.co.uk/os2pages/v2gb.html>
 - SHELL=PATH/4DOS.COM
 - <https://www.4dos.info/v4dos.htm>



Dos Video issues

⇒ VVGA.SYS


- /nodisplay /nowinbgnd /nowincmd /nowinnotify /dual /int10off /debug

⇒ VSVGA.SYS /int10textgrfxsafe

- May need: mode co80 cls in Autoexec.bat
 - VVGA switches plus /bgexec /int10restoremode /int10restoremods /int10restorerregs /int10restorebank /int10bgndvgamode /noint10restoremode /noint10restoremods /noint10restorerregs /noint10restorebank /noint10bgndvgamode /int10textgrfxsafe


⇒ VXGA.SYS

- Doesn't seem to be a valid driver




Dos Video issues

- ➔ On some systems you can open a full screen session and then switch to a window
 - Some systems trap on opening full screen sessions of any kind.
 - Fixed with ACPI 3.23.10
- ➔ Problems with WinOS2 windowed session can sometimes be fixed by changing the “Video” setting for the WinOS2 sessions




Config.sys Utilities

- ➔ Logical Config.Sys Sort, by Doug Bissett
 - <http://hobbes.nmsu.edu/h-search.php?key=lc&pushbutton=Search>
- ➔ Cfgtool
 - <http://hobbes.nmsu.edu/h-search.php?key=cfgtool&pushbutton=Search>
 - Old but still makes some good suggestions



Mice


- ⇒ Amouse vs Smouse
 - ThinkPads
- ⇒ Mulpt.exe
 - WPCONFIG.DLL



A New Loader


⇒ OS2LDR.CFG

- Can create a RAM disk above the 4 gig limit
 - RAMDISK = HPFS Z:
 - RAMDISKNAME = RamDisk
 - Use for Temp directory
 - RUN=X:\OS@\CMD.EXE /C md Z:\temp
 - Set TEM=Z:\temp
 - Set TMP=z:\temp
- Can limit memory use
 - MEMLIMIT = 512
 - Trap dumps



Xcenter

- ⇒ ISwitcher plugin or stand alone
 - Winlist if you use ISwitcher stand alone
- ⇒ Remove unused plugins
 - XWLAN
 - Only needed for WIFI.
 - Older versions don't unload when Xcenter is closed
 - Xcenter very slow in opening
 - Unlock rename restart desktop or reboot
 - Part of Desktop process
- ⇒ Add to screen boarder




ANXWP vs XWP

⇒ Reboot to options

- It works with Airboot but doesn't give a list of partitions
- `setboot /iba:"eCS-N"`

⇒ Turbo Folders

- Changes the behavior of associations
- Assoedit
 - <http://hobbes.nmsu.edu/h-search.php?key=assoedit&pushbutton=Search>
- Settings Object




ArcaMapper

- ➔ There are two ways to restart the Samba shares
 - Use Netdrive's volume persistence (not Autostart)
 - Turn it on before mounting any drives
 - PersistentVolumeConfiguration = volumes.cfg
 - Unremark it in ?:\Programs\NDFS\ndctl.cfg
 - Autostart minimized on startup means a visible rectangular window with a throbber annoyingly on the screen.
 - Autostart generally manages to throw an error dialog about something failing to load
 - Don't use both




ArcaMapper

- ⇒ Shares and/or Server not shown
 - Update the hosts file to list all the servers before starting ArcaMapper
 - Need to make sure server always has same IP address
 - Setup a local DNS
- ⇒ When using 4OS2 it hangs on rescan
 - Kill the background samba process




ArcaMapper

- ⇒ Advanced mount options
 - All options are selected by default
 - They are mutually exclusive
 - Their location is unintuitive
- ⇒ Smb.conf
 - ArcaMapper doesn't load its setting from Smb.conf
 - It overwrites the existing Smb.conf if you save.
 - Verbose log files may quickly fill a volume




ArcaMapper

- ⇒ Network Printing isn't supported
 - Use the smb printer port (install with Print Manager)
 - Smbprint.exe doesn't work with parallel port attached printers
 - You can use Print.exe (os2 utility)
 - However it doesn't delete the spooled files which will fill the drive
 - Scheduled cmd to delete these



Highmem

- ⇒ Mozilla apps, AOO and ClamAV
- ⇒ Highmem.exe (included with AOO)
- ⇒ Exehdr.exe (Installed with ArcaOS)
- ⇒ Warnings about stability
- ⇒ Why not everything?
- ⇒ Memory not releases on close
 - Use turbos




Hide floppy icons

⇒ Drives folder properties

- Include tab
 - Add
 - Attribute: Object Title
 - Comparison type: is equal to
 - Comparison value: Drive A
 - Repeat for drive B



⇒ FM/2

- Add /AB %* as command line parameters





Clock Sync

- The correct time
- Daytime as a back-end
- Can use to update your time zone settings



IFX

- ➔ Cleans INI file handles
- ➔ Backup and restore
- ➔ Not a replacement for full featured INI cleaners/checkers



INI file checkers

➔ Checkini

- <http://hobbes.nmsu.edu/h-search.php?key=checkini&pushbutton=Search>

➔ Cleanini


- <http://hobbes.nmsu.edu/h-search.php?key=cleanini&pushbutton=Search>

➔ UniMaint

- <http://jaread.net/software/pages/download.html>



➔ RWS

- <http://hobbes.nmsu.edu/h-search.php?key=rws080&pushbutton=Search>




Useful Utilities

- ➔ Clipview
- ➔ Screen Capture utility
- Gotcha
- ➔ Simple Calendar
- ➔ Lswitcher
- ➔ NCFTP
- ➔ OO



oo

- ⇒ A text-mode utility for working with the WPS
- ⇒ Use it at the commandline or in scripts to
 - open, locate, and list objects, get info about them, assign setup strings to them, and more.
- ⇒ Can perform all of the WPS tasks that used to require REXX.
 - oo's alternatives are more powerful because they work with any object, not just files or folders.



Gotcha!

- Screen capture utility
- Gotcha Quiet captures “Print Screen” keys
- Alt+Print Screen = settings
 - Screen/region/window/interior
 - Clipboard/file
 - Multiple capture formats
 - Auto name
 - Delay (allows opening a menu)
 - Initiate capture



Gotcha!

- Ctrl + Print Screen = Capture to clipboard
- Print Screen/Shift + Print Screen = Capture to file
- Design questions
 - Should a command line switch be provide so Print Screen prints to printer?
 - Should the setting window automatically reopen after a manual screen capture?

WARPSTOCK 2018

SEPTEMBER 14-17
CALGARY



ISwitcher

- Task switcher
- Freestanding or Xcenter plugin
- Group/Icon only
- Priority
- Switch/Min-Max/Tile/Cascade/Close/Kill
- Popup




Lucide


- Why does it take so long to fix my bug
 - Trap on opening large PDF
 - Problem is with Poppler not Lucide
 - Fix Poppler (and load issues with Lucide)
 - Poppler is updated as part of the fix
 - Update breaks Lucide
 - Update Lucide to compile with new Poppler
 - Poppler traps with FPU issue
 - I get paid nothing. The Poppler maintainer is dependent on your donations.

WARPSTOCK 2018

SEPTEMBER 14-17

CALIFORNIA





Thank You
Warpstock
Europe
Utrecht
Netherlands
May 18 – 19 2019